

# SUMMEDIA SUMEDIA SUMEDIA

# YOUTH

We believe that getting kids active in the outdoors is key to a healthy well-balanced life. Our youth skates provide the perfect opportunity for them to get some fresh air, spend time with family and friends and above all, have fun! With a completely updated youth collection highlighted by bright colors, exciting patterns and the NEW light-up Raider & Marlee Beam this summer is certain to be full of memories.

RAIDER PRO

Speed Lacing Stability Plus Cuff F.B.I. Frame 72mm 80A Wheels\* Max Wheel Size 76mm\*\* ABEC 3 Bearings 5 Size Adjustability

US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

\*70mm 80A Wheels on size S
\*\*Max Wheel 72mm on size S







MARLEE PRO

Speed Lacing Stability Plus Cuff F.B.I. Frame 72mm 80A Wheels\* Max Wheel Size 76mm\*\* ABEC 3 Bearings 5 Size Adjustability

US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

\*70mm 80A Wheels on size S

\*\*Max Wheel 72mm on size S





SoftBoot





# RAIDER BOA®

The BOA® Fit System
Stability Plus Cuff
F.B.I. Frame
72mm 80A Wheels\*
Max Wheel Size 76mm\*\*
ABEC 3 Bearings
5 Size Adjustability



US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

\*70mm 80A Wheels on size S

\*\*Max wheel size 72mm on size S









MARLEE BOA®



The BOA® Fit System
Stability Plus Cuff
F.B.I. Frame
72mm 80A Wheels\*
Max Wheel Size 76mm\*\*
ABEC 3 Bearings
5 Size Adjustability

US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

\*70mm 80A Wheels on size S
\*\*Max wheel size 72mm on size S









M∂ SKATES\_2 M∂ SKATES\_3

RAIDER BEAM Traditional Lacing Stability Plus Cuff F.B.I. Frame 72mm 80A Wheels\* Max Wheel Size 76mm\*\* ABEC 3 Bearings 5 Size Adjustability Beam Lights



US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

\*70mm 80A Wheels on size S \*\*Max wheel size 72mm on size S









Traditional Lacing Stability Plus Cuff F.B.I. Frame 72mm 80A Wheels\* Max Wheel Size 76mm\*\* ABEC 3 Bearings 5 Size Adjustability Beam Lights

US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

\*70mm 80A Wheels on size S
\*\*Max wheel size 72mm on size S











The BOA® Fit System Stability Plus Cuff Stamped Aluminum Frame 76mm 80A Wheels Max Wheel Size 76mm ABEC 5 Bearings 5 Size Adjustability

US: M 1-5, L 4-8 EU: M 32-37, L 35-40 UK: M 13-4, L 3-7











SK8 HERO BOA® ALU

The BOA® Fit System Stability Plus Cuff

76mm 80A Wheels

ABEC 5 Bearings

5 Size Adjustability

US: M 1-5, L 4-8 EU: M 32-37, L 35-40 UK: M 13-4, L 3-7

BOA

EXPANDABLE SIZE

SoftBoot.

Max Wheel Size 76mm







# **FITNESS**

Time to break a sweat! Whether you are a casual fitness enthusiast or a workout junkie there's a skate for you in our Fitness category. The 80mm series provides a more controlled experience for the new or casual skater. When it's time to level up, our 84mm+ series brings the speed and smooth roll needed for those longer sessions. With new colors and styling across all models and an all-new engineered mesh on the 84mm+ skates the heat is on this summer!

F.I.T. 80 PRO Speed Lacing Stability Plus Cuff F.B.I. Frame 80mm 80A Wheels Max Wheel Size 80mm ABEC 5 Bearings





SoftBoot.

ALEXIS 80 PRO Speed Lacing Stability Plus Cuff F.B.I. Frame 80mm 80A Wheels Max Wheel Size 80mm ABEC 5 Bearings



US W: 6-11 EU: 36-42.5 UK: 3.5-8.5



SoftBoot





The BOA® Fit System Stability Plus Cuff F.B.I. Frame 80mm 80A Wheels Max Wheel Size 80mm ABEC 5 Bearings



US M: 5-14 EU: 36.5-49 UK: 4-13



SoftBoot.



ALEXIS 80 BOA®

The BOA® Fit System Stability Plus Cuff F.B.I. Frame 80mm 80A Wheels Max Wheel Size 80mm ABEC 5 Bearings



US W: 6-11 EU: 36-42.5 UK: 3.5-8.5



SoftBoot.



M2 SKATES\_6

# F.I.T. 80 ALU

NEW

Speed Lacing Stability Plus Cuff Stamped Aluminum Frame 80mm 80A Wheels Max Wheel Size 80mm ABEC 5 Bearings

US M: 5-14 EU: 36.5-49 UK: 4-13







ALEXIS 80 ALU

Speed Lacing
Stability Plus Cuff
Stamped Aluminum Frame
80mm 80A Wheels
Max Wheel Size 80mm
ABEC 5 Bearings



US W: 4-11 EU: 34-42.5 UK: 1.5-8.5



SoftBoot



F.I.T. 84 PRO



Speed Lacing Stability Plus Cuff Stamped Aluminum Frame 84mm 80A Wheels Max Wheel Size 84mm ILQ 5 Bearings

US M: 5-14 EU: 36.5-49 UK: 4-13



SoftBoot.



ALEXIS 84 (PRO

Speed Lacing Stability Plus Cuff Stamped Aluminum Frame 84mm 80A Wheels Max Wheel Size 84mm ILQ 5 Bearings



US W: 4-11 EU: 34-42.5 UK: 1.5-8.5



SoftBoot.



Me SKATES\_8

The BOA® Fit System Stability Plus Cuff Stamped Aluminum Frame 84mm 80A Wheels Max Wheel Size 84mm ILQ 7 Bearings Flex Notch

US M: 5-14 EU: 36.5-49 UK: 4-13



SoftBoot.



The Boa® Fit System Stability Plus Cuff Stamped Aluminum Frame 84mm 80A Wheels Max Wheel Size 84mm ILQ 7 Bearings Flex Notch

US W: 4-11 EU: 34-42.5 UK: 1.5-8.5







The BOA® Fit System Stability Plus Cuff D.C. Aluminum Frame 90mm 83A Wheels Max Wheel Size 90mm ILQ 7 Bearings Flex Notch

US M: 5-14 EU: 36.5-49 UK: 4-13



SoftBoot.



# ALEXIS 90 BOA®





US W: 6-11 EU: 36-42.5 UK: 3.5-8.5



SoftBoot.



₩ SKATES\_10 ₩ SKATES\_11

# **X-TRAINING**

Do your workouts need some variety? Looking for new ways to test yourself? Add a new element to your training routine with inline skating by hitting the pavement with our X-Training skates. They come fully loaded with functional features like VO2 S single-sided frames, big wheels with premium bearings and the Vortex Ventilation System. This seasons brings three new models to the VO2 S family, the 90 BOA Unisex, 100X BOA Unisex and a men's 100 BOA - all designed for the athlete!

VO2 S 90 MEN'S

Speed Lacing
V02 Cuff
V02 S Frame
90mm 83A Wheels
Max Wheel Size 90mm
ILQ 9 Classic Plus Bearings
Flex Notch
Vortech Ventilation System

US M: 5-14 EU: 36.5-49 UK: 4-13





WOMEN'S

Speed Lacing VO2 Cuff VO2 S Frame 90mm 83A Wheels Max Wheel Size 90mm ILQ 9 Classic Plus Bearings Flex Notch Vortech Ventilation System

US W: 6-11 EU: 36-42.5 UK: 3.5-8.5









VO2 S 90 BOA® (

The BOA® Fit System VO2 Cuff VO2 S Frame 90mm 83A Wheels Max Wheel Size 90mm ILQ 9 Classic Plus Bearings Flex Notch Vortech Ventilation System



US M: 5-14 EU: 36.5-49 UK: 4-13

For unisex skates US sizing is in men's





VO2 S 100X BOA® UNISEX

The BOA® Fit System
VO2 Cuff
VO2 S Frame
100mm / 90mm 83A Wheels
Max Wheel Size 100mm /90mm
ILQ 9 Classic Plus Bearings
Flex Notch
Vortech Ventilation System

NEW

UK: 4-13
For unisex skates US sizing is in men's



US M: 5-14 EU: 36.5-49



VO2 S 100 BOA® MEN'S The BOA® Fit System
V02 Cuff
V02 S Frame
100mm 83A Wheels
Max Wheel Size 100mm
ILQ 9 Classic Plus Bearings
Flex Notch
Vortech Ventilation System

US M: 8-14 EU: 40.5-49 UK: 7-13











# **LIFESTYLE**

Whether it's commuting to work, running errands, meeting up with friends or just exploring the city, if there is pavement, we know skates are how you want to travel. For those looking for a modern do-it-all skate, the Lifestyle category features the most versatile in our line. With the stout and stylish Uptown and the Trio series featuring the NEW Trio 100 BOA our Lifestyle skates give you the options to make it your own and skate your way.

TRIO LT 100 MEN'S

Speed Lacing Stability Plus Cuff Stamped Aluminum Frame 100mm 83A Wheels Max Wheel Size 100mm ILQ 7 Bearings

US M: 5-14 EU: 36.5-49 UK: 4-13



SOFT ROOT



Speed Lacing Stability Plus Cuff Stamped Aluminum Frame 100mm 83A Wheels\* Max Wheel Size 100mm\*\* ILQ 7 Bearings

US W: 4-11 EU: 34-42.5 UK: 1.5-8.5

\*90mm 83A Wheels, on US W size 4-5 \*\*Max Wheel size 90mm, on US W size 4-5



SoftBoot





# TRIO LI BOA®

The BOA® Fit System Stability Plus Cuff Stamped Aluminum Frame 100mm 83A Wheels Max Wheel Size 100mm ILQ 7 Bearings



US M: 5-14 = US W: 6-11 EU: 36.5-49 UK: 4-13

For unisex skates US sizing is in men's



SoftBoot.



## TRI0 110

Traditional Lacing
Urban Cuff
Rockerable Trio 110 Frame
110mm 90A Wheels
Max Wheel Size 110mm
ILQ 9 Bearing
UFS Compatible

US M: 6-13 EU: 38-48 UK: 5-12

For unisex skates US sizing is in men's \*Brake included. Assembly required.



SoftBoot.



UPTOWN

Traditional Lacing Aggressive Cuff Rockerable 243mm Aluminum Frame 80mm 85A Wheels Max Wheel Size 80mm ILQ 7 Bearings UFS Compatible

US M: 5-14 = US W: 6-11 EU: 36.5-49 UK: 4-13

For unisex skates US sizing is in men's \*Brake included. Assembly required.



SoftBoot



# **MARATHON**

Gain that crucial edge on the competition with our highest performing skate category. We know when it comes to marathon skating it's all about one thing...speed. These premium, race-ready skates combine lightweight materials with massive wheels and ILQ-9 PRO bearings to create some extraordinarily fast skates. The MOD 110 received an update this season highlighted by a new ventilated microfiber upper and sleek aesthetic detailing for a high-velocity look. Enjoy the ride.

MOD 110 Speed Lacing
MOD 110 Dual Density Cuff
MOD 110 Extruded 6000 Series Frame
110mm 85A Wheels
Max Wheel 110mm
ILQ 9 Pro Bearings
Custom Fit Foam
Ventilated Microfiber Upper

US M: 6-13 EU: 38-48 UK: 5-12

For unisex skates US sizing is in men's



SoftBoot.



REDLINE

Traditional Lacing
Removable REDLINE Carbon Cuff
REDLINE Carbon Base
Extruded 6000 Series Frame
110mm 85A Wheels
Max Wheel Size 110mm
ILQ 9 Pro Bearings
Ventilated Microfiber Upper

US M: 6-13 EU: 38-48 UK: 5-12

For unisex skates US sizing is in men's



SoftBoot.



# REDLINE 125

Traditional Lacing
Removable REDLINE Carbon Cuff
REDLINE Carbon Base
Extruded 6000 Series Frame
125mm 88A Wheels
Max Wheel Size 125mm
ILQ 9 Pro Bearings
Ventilated Microfiber Upper

US M: 6-13 EU: 38-48 UK: 5-12

For unisex skates US sizing is in men's

Traditional LACING

SoftBoot.



# **HELMETS & PADS**

Skate safe with our helmets and pad sets. Designed to fit both kids and adults, our helmets are equipped with a micro-adjustable fit, hard shell protection, and additional bicycle safety certification. New this season we have fresh colors on the Varsity and Varsity Pro as well as the addition of a Varsity Mips featuring Mips Evolve technology. Our pad sets featured a wide range of benefits including comfortable moisture wicking materials for comfort, durable plastic caps for protection and reflective badges for visibility.

# **HELMETS**

VARSITY

Durable ABS Shell Lightweight EPS Liner Fit Pads

Adjustable Nylon Chin/Ear Webbing Ratchet Fit System

U.S. CPSC



Matte Black Matte White Matte Blue Matte Purple

S 48-54 cm M 55-58cm L 59-61cm











Low Profile Micro Fit System Reflective Strap

U.S. CPSC



Matte Black Matte White Matte Blue Matte Red

S 48-54 cm M 55-58cm L 59-61cm











Durable ABS Shell Lightweight EPS Liner MIPS Evlove Safety System Sealed Fit Pads Adjustable Nylon Chin/Ear Webbing Low Profile Microfit System U.S. CPSC



Matte Black Matte Gray

S 48-54 cm M 55-58cm L 59-61cm







## **PADS**

K2 YOUTH PAD SET

Durable plastic caps shield against impact and abrasion, while breathable mesh and elastic straps provide a perfectly comfortable, secure fit.



**RAIDER PRO PAD SET** 

Sizing XS, S Knee pads, elbow pads and wrist guards Available as a set only







Sizing XS, S Knee pads, elbow pads and wrist guards Available as a set only

K2 PI SET SET Styled to have a modern aesthetic! Durable plastic caps shield against impacts and scrapes while the breathable and abrasion resistant mesh panels with front fasteners bring added protection and a comfortable fit and feel throughout the skating session.



MEN'S

S, M, L, XL Pad set includes knee and elbow pads and wrist guards Wrist guards also sold seperatly



**WOMEN'S** 

S. M, L, XL

Pad set includes knee and elbow pads and wrist guards Wrist guards also sold seperatly

AD P PERFORMANCE ) SET

Abrasion resistant, breathable mesh panels and a Coolmax moisture wicking lining allow for a comfortable experience no matter how many miles you're logging. The safety-minded design is rounded out with reflective badges for an added element of visibility.



#### MEN'S

S, M, L, XL Pad set includes knee and elbow pads and wrist guards Wrist guards also sold seperatly



## **WOMEN'S**

S, M, L, XL

Pad set includes knee and elbow pads and wrist guards Wrist guards also sold seperatly

REDLINI GUARD SE RACE Durable and sleek design offering protection from road rash. Created for performance minded skaters with a slim and lightweight design.



### UNISEX

Unisex Sizing S, M, L

Race Guard Set includes knee guards, elbow guards and wrist guards Gloves, elbow guards and knee guards also sold separately.

# **ACCESSORIES**

From frames, wheels and bearings to carriers, we've got the gear you need to enhance your skating experience. Replace worn parts, customize your set up and keep your skates in top condition with our parts and accessories.

# **FRAMES**



TRIO 100 FRAME KI

Max wheel size 100mm

**UFS Mounting** Rockerable 2nd Wheel 6061 Series Aluminum

S 250mm US M size 6-7.5 M 270mm US M size 8-10.5 L 285mm US M size 11-13

\*Includes 6mm frame spacers, bearing spacers, and axles.



R100 CNC ALUMINUM FRAME

즐

**UFS Mounting** Rockerable 311mm Wheelbase 6061 Series Aluminum

Max wheel size

100mm

\*Includes 6mm frame spacers, bearing spacers, and axles, (6mm frame spacers for rocker



TRIO 11 FRAME

Max wheel size 110mm

**UFS Mounting** 

Rockerable 2nd Wheel 6061 Series Aluminum

S 255mm US M size 6-7.5 M 270mm US M size 8-10.5 L 285mm US M size 11-13

\*Includes 6mm frame spacers, bearing spacers, and axles.



# R80 CNC ALUMINUM

FRAME

즊

**UFS Mounting** Rockerable 243mm Wheelbase 6061 Series Aluminum

Max wheel size

80mm

\*Includes 6mm frame spacers, bearing spacers, and axles, (6mm frame spacers for rocker set ups)



Wide sole plate for boot based 0 0 tricks. Compatible with the E SE Uptown. Available in black.

**UFS Mounting** 

PL ES

SIVE ATES

SIZE A US size 6-7 SIZE B US size 7.5-8 SIZE C US size 8.5-9 SIZE D US size 9.5-10 SIZE E US size 10.5-11 SIZE F US size 11.5-12 SIZE G US size 12.5-13 SIZE H US size 14

\*Includes UFS screws and t-nuts.

series features a higher performance formula and a durable and energetic urethane to give your current ride a long lasting boost. Sizing options range from 72mm to 84mm and are available in both 4 and 8 packs with bearings and aluminum spacers installed. All wheel packs come in a cool re-usable storage bag.

Booster

wheel





BOOSTER 76MM/80A 4-PACK or 8 PACK

BOOSTER 80MM/82A 4-PACK or 8-PACK \*Includes ILQ- 7 bearings and ALU spacers.



BOOSTER 84MM/82A 4-PACK or 8-PACK \*Includes ILQ- 7 bearings and ALU spacers

# P P

The Bolt Speed wheels with a higher performance formula, constructed from a high-speed urethane with a race profile for a light and fast roll. This formula features both high rebound and durability and is the performance choice for X-Trainers looking to outfit their 90mm and 100mm skates. The

90mm are available in 4 and 8 packs with ILQ 9 bearings and aluminum bearing spacers. 100s available in 4 packs. Both packs come in cool multipurpose storage bags. The Bolt Urban wheels feature a higher performace formaula, high rebound, durability and a full-wheel profile for speed, stability and

versatility in the city and beyond. The

80mm are available in 4 packs and

the 100mm and 110mm in 2 packs. All come in a multi-purpose storage bag.



BOLT URBAN 80MM/XTRA FIRM 4-PACK



BOLT URBAN 100MM/XTRA FIRM 2-PACK



100MM/85A 4-PACK



BOLT URBAN 110MM/XTRA FIRM 2-PACK

# S ERIES $\overline{\mathbf{s}}$

The best wheels we've ever produced! The Flash Discs boast a higher performance formula, aerodynamic disc hubs and our latest and best urethane with a race profile. The disc hubs provide support to unlock the speed and reduce drag. Flash Disc wheels are sold individually in their own multi-purpose storage bags. See them, feel them, hear them!



FLASH DISC 110MM/XTRA FIRM SINGLE PACK



FLASH DISC 125MM/XTRA FIRM SINGLE PACK

# AINF S **SERIES**

NEW

TRO

 $\Box$ 

**SERIES** 

NEW

Grip it and rip it with the NEW Rainfly wheels! These dual-injected wheels with high rebound and high grip are designed for skating in wet conditions. Available in 4-packs of 90mm and 110mm. Don't let a little rain stop you.

Illuminate your skates! The NEW



RAINFLY 90MM/85A 4-PACK



RAINFLY 110MM/85A 4-PACK

# **WHEELS**

BOOSTEI WHEEL S SERI







\*Includes ILQ- 5 bearings and ALU spacers









STROBE

2-PACK

72MM/85A

STROBE 2-PACK



80MM/85A



STROBE 84MM/85A



STROBE 90MM/85A 2-PACK

#### K 2 S K A T E S

# **BEARINGS**



Grease Lubricant
Steel Retainers ហ Double-Sided Metal Shield Pack Of 16



Grease Lubrican Steel Retainers Grease Lubricant **→** Double-Sided Metal Shield Pack Of 16



TK Gel 6-Ball Design
Nylon Retainers o One-Sided Metal Shield Pack Of 16



TK Gel 6-Ball Design
Nylon Retainers • Rubber Shield Pack Of 16

# **BAGS**

3 External Zippered Pockets, Ventilation Panels
Sized to carry skates, helmet, and pads.







ALLIANCE

SKATE

The new K2 Backpack is an all purpose backpack ready to take on anything that comes it's way. Features include padded back panel, exterior zip up storage pocket, padded laptop sleeve, padded backpack straps, adjustable chest strap, bicycle light clip, multifunctional organization pocket, zippable size pocket, easy access water bottle pocket, and exterior bungee stowage that is great for sneakers or helmet.

VOLUME - 30L



# TOOLS

RUBBER BRAKE STOPPER









Available in Black markings or Gray non-markings.

K TOOL



This multi-tool helps you adjust your bearings and axles. It's longer length makes it easy to access the frame mount bolts through the wheels.

# **SIZING CHART**

# MEN'S INLINE SKATE SIZING

SKATE SIZE/	UK SHOE SIZE	EU SHOE SIZE	FOOT LENGTH (in)	FOOT LENGTH (cm)
US SHOE SIZE				
5	4	36.5	9.06	23
6	5	38	9.45	24
6.5	5.5	39	9.65	24.5
7	6	39.5	9.84	25
7.5	6.5	40	10.04	25.5
8	7	40.5	10.24	26
8.5	7.5	41.5	10.43	26.5
9	8	42	10.63	27
9.5	8.5	42.5	10.83	27.5
10	9	43.5	11.02	28
10.5	9.5	44	11.22	28.5
11	10	44.5	11.42	29
11.5	10.5	45	11.61	29.5
12	11	46	11.81	30
12.5	11.5	47	12.01	30.5
13	12	48	12.20	31
14	13	49	12.60	32

# WOMEN'S INLINE SKATE SIZING

SKATE SIZE/ US SHOE SIZE	UK SHOE SIZE	EU SHOE SIZE	FOOT LENGTH (in)	FOOT LENGTH (cm)
4	1.5	34	8.27	21
5	2	35	8.66	22
6	3.5	36	9.06	23
6.5	4	36.5	9.25	23.5
7	4.5	37	9.45	24
7.5	5	38	9.65	24.5
8	5.5	39	9.84	25
8.5	6	39.5	10.04	25.5
9	6.5	40	10.24	26
9.5	7	40.5	10.43	26.5
10	7.5	41.5	10.63	27
10.5	8	42	10.83	27.5
11	8.5	42.5	11.02	28

# KID'S INLINE SKATE SIZING

SKATE SIZE	US SHOE SIZE	UK SHOE SIZE	EU SHOE SIZE	FOOT LENGTH (in)	FOOT LENGTH (cm)
S	11 - 2	10 - 1	29 - 34	6.69 - 8.07	17 - 20.5
М	1 - 5	13 - 4	32 - 37	7.68 - 9.06	19.5 - 23
L	4 - 8	3 - 7	35 - 40	8.66 - 10.04	22 - 25.5

# HELMET SIZING

SIZE	S	М	L
Head Circumference * (in)	18.8 - 21.2	21.6 - 22.8	23.2 - 24
Head Circumference* (cm)	48 - 54	55 - 58	59 - 61

₩ SKATES\_23 ₩ SKATES\_22

FITNES:



#### RAIDER PRO MARLEE PRO

Speed Lacing, Stability Plus Cuff, F.B.I. Frame, 72mm 80A Wheels\*, Max Wheel Size 76mm\*\*, ABEC 3 Bearings, 5 Size Adjustability

US; S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

\*70mm 80A Wheels on size S

\*\*Max Wheel 72mm on size S



#### RAIDER BOA® MARLEE BOA®

The BOA® Fit System, Stability Plus Cuff, F.B.I. Frame, 72mm 80A Wheels\*, Max Wheel Size 76mm\*\*, ABEC 3 Bearings 5 Size Adjustability

US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

\*70mm 80A Wheels on size S \*\*Max wheel size 72mm on size S



RAIDER BEAM MARLEE BEAM

Traditional Lacing, Stability Plus Cuff, F.B.I. Frame, Beam Lights, 72mm 80A Wheels\*, Max Wheel Size 76mm\*\*, ABEC 3 Bearings, 5 Size Adjustability,

US: S 11-2. M 1-5. L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

\*70mm 80A Wheels on size S \*\*Max Wheel 72mm on size S



#### SK8 HERO BOA® ALU CHARM BOA® ALU

The BOA® Fit System, Stability Plus Cuff, Stamped Aluminum Frame, 76mm 80A Wheels, Max Wheel Size 76mm, ABEC 5 Bearings, 5 Size Adjustability

US: M 1-5, L 4-8 EU: M 32-37, L 35-40 UK: M 13-4, L 3-7





#### VO2 S 90 MEN'S VO2 S 90 WOMEN'S

Speed Lacing, VO2 Cuff, VO2 S Frame, 90mm 83A Wheels, Max Wheel Size 90mm, ILQ 9 Classic Plus Bearings, Flex Notch, Vortech Ventilation System

WOMEN'S US 5-14 EU 36.5-49 US 6-11 EU 36-42.5 UK 4-13 UK 3.5-8.5



#### VO2 S 90 BOA\* UNISEX

The BOA® Fit System, VO2 Cuff, VO2 S Frame, 90mm 83A Wheels, Max Wheel Size 90mm, ILQ 9 Classic Plus Bearings, Flex Notch, Vortech Ventilation System

US 5-14 EU 36.5-49 US 6-11 EU 36-42.5 UK 4-13 UK 3.5-8.5



#### VO2 S 100X BOA° UNISEX

The BOA® Fit System, VO2 Cuff, VO2 S Frame, 100mm / 90mm 83A Wheels, Max Wheel Size 100mm /90mm, ILQ 9 Classic Plus Bearings, Flex Notch, Vortech Ventilation System

WOMEN'S US 5-14 US 6-11 EU 36-42.5 EU 36.5-49



#### VO2 S 100 BOA® MEN'S

The BOA® Fit System, VO2 Cuff, 100mm 83A Wheels, Max Wheel Size 100mm ILQ 9 Classic Plus Bearings, Flex Notch Vortech Ventilation System

US 8-14, EU 40.5-49 UK 7-13

# LIFE S

MARATHON



#### TRIO LT 100 MEN'S TRIO LT 100 WOMEN'S

Speed Lacing, Stability Plus Cuff Stamped Aluminum Frame, 100mm 83A Wheels, Max Wheel Size 100mm ILQ 7 Bearings

MEN'S WOMEN'S US 5-14 US 4-11 EU 34-42.5 UK 1.5-8.5 EU 36.5-49 UK 4-13

\*90mm 83A Wheels, on US W size 4-5  $^{\star\star}\text{Max}$  Wheel size 90mm, on US W size 4-5



#### TRIO LT BOA®

The BOA® Fit System, Stability Plus Cuff Stamped Aluminum Frame, 100mm 83A Wheels, Max Wheel Size 100mm ILQ 7 Bearings

US 5-14 EU 36,5-49 UK 4-13



#### TRIO 110

Traditional Lacing, Urban Cuff Rockerable Trio 110 Frame, 110mm 90A Wheels, Max Wheel Size 110mm ILQ 9 Bearing, UFS Compatible

MEN'S US M 6-13 EU 38-48 UK 5-12

\*Brake included. Assembly required



#### UPTOWN

Traditional Lacing, Aggressive Cuff Rockerable 243mm Aluminum Frame 80mm 85A Wheels, Max Wheel Size 80mm, ILQ 7 Bearings, UFS Compatible

> US 5-14 EU 36,5-49 UK 4-13

> > \*Brake included. Assembly required.

#### F.I.T. 84 PRO **ALEXIS 84 PRO**

F.I.T. 80 PRO

US 5-14 EU 36.5-49

ALEXIS 80 PRO

Speed Lacing, Stability Plus Cuff F.B.I. Frame, 80mm 80A Wheels, Max Wheel Size 80mm, ABEC 5 Bearings

US 6-11

FU 36-42.5

Speed Lacing, Stability Plus Cuff Stamped Aluminum Frame, 84mm 80A Wheels, Max Wheel Size 84mm ILQ 5 Bearings

US 5-14 EU 36.5-49 UK 4-13

US 4-11 EU 34-42,5 UK 1.5-8.5



#### F.I.T. 80 BOA\* ALEXIS 80 BOA®

The BOA® Fit System, Stability Plus Cuff F.B.I. Frame, 80mm 80A Wheels Max Wheel Size 80mm, ABEC 5 Bearings

US 5-14 EU 36.5-49

US 6-11 EU 36-42.5



Speed Lacing, Stability Plus Cuff Stamped Aluminum Frame, 80mm 80A Wheels, Max Wheel Size 80mm

F.I.T. 80 ALU

**ALEXIS 80 ALU** 



#### F.I.T. 84 BOA\* ALEXIS 84 BOA

The BOA® Fit System, Stability Plus Cuff Stamped Aluminum Frame, 84mm 80A Wheels, Max Wheel Size 84mm ILQ 7 Bearings, Flex Notch

US 5-14 EU 36.5-49 UK 4-13

US 4-11 EU 34-42.5 UK 1.5-8.5



F.I.T. 90 BOA\* ALEXIS 90 BOA®

The BOA® Fit System, Stability Plus Cuff D.C. Aluminum Frame, 90mm 83A Wheels, Max Wheel Size 90mm ILQ 7 Bearings, Flex Notch

US 5-14 EU 36,5-49

WOMEN'S US 6-11 FII 36-42.5 UK 3.5-8.5



## MOD 110

Speed Lacing, MOD 110 Dual Density Cuff, MOD 110 Extruded 6000 Series Frame, 110mm 85A Wheels, Max Wheel 110mm, ILQ 9 PRO Bearings, Custom Fit Foam Ventilated Microfiber Upper

US M 6-13 EU 38-48 UK 5-12



## REDLINE 110

Traditional Lacing, Removable REDLINE Carbon Cuff, REDLINE Carbon Base, Extruded 6000 Series Frame, 110mm 85A Wheels, Max Wheel 110mm ILQ 9 Pro Bearings, Ventilated Microfibe

US M 6-13 EU 38-48 UK 5-12



## REDLINE 125

Traditional Lacing, Removable REDLINE Carbon Cuff, REDLINE Carbon Base, Extruded 6000 Series Frame, 125mm 88A Wheels, Max Wheel 125mm, ILQ 9 Pro Bearings, Ventilated Microfiber

US M 6-13 EU 38-48 UK 5-12

