

New Generation of Pin Toe

Rubber stop pad:

Boot tip is aligned/stopped when stepping-in



Wider step-in platform:

Enlarged contact area for boot sole when stepping in

Easier step-in:

Toe piece "snaps/clicks into the boot" with a lot less force required



Overall much improved step-in comfort



Used in all
Kingpin &
Alpinist models



No performance losses



Same weight like previous toe

ISI Toe = "Intuitive Step In" Toe



Tec Icon:



→ The new name will replace the "Carbon reinforced pin toe" that was used as the technology name before.



NEW COLOR SCHEME ALPINIST: BLACK







NEW COLOR SCHEME ALPINIST: PURPLE







NEW ALPINIST TOES



ALPINIST 12

→ Dark anthracite Anti Ice Pad



ALPINIST 10

→ Grey Anti Ice Pad



ALPINIST 8

→ White Anti Ice Pad



NEW KINGPIN TOES



Kingpin 13

- → Black springs
- → Dark anthracite Anti Ice Pad



Kingpin 10

- → Grey springs
- → Grey Anti Ice Pad



Kingpin MWerks

- → Red springs
- → Dark anthracite Anti Ice Pad



Overview KINGPIN Line UP



KINGPIN MWerks 12

- 100mm
- 125mm



KINGPIN 13 • 100mm

- 125mm



KINGPIN 10

- 100mm
- 125mm




• 13, 125mm

• 10, 100mm



KINGPIN DEMO



-120g/piece weight reduction compared to old Kingpin Demo



TOUR

New F10 Tour

New toe with Anti Ice Rail

New Squire heel with improved step in >>

Modified/neutralized black white color scheme >>

Updated "Tour" letters on heel

Color: black - white

DIN 3.0 - 10.0

Options: Small (265-325mm) and Large (305-365mm) with 90mm or 100mm brake





New F12 Tour EPF

New toe with Anti Ice Rail >>

New Squire heel with improved step in >>


Extended Power Frame (EPF) >>

Updated "Tour" letters on heel

Color: black - white

DIN 4.0 - 12.0


Options: Small (265-325mm) and Large (305-365mm) with 90mm or 100mm brake



Overview on new Frame Tour models



STEP-IN CURVE OLD VS. NEW SQUIRE, Z6



Overview FRAME TOURING LINE UP



F10 TOUR small (265-325mm)

- 90mm
- 100mm



F10 TOUR large (305-365mm)

- 90mm
- 100mm



F12 TOUR EPF small (265-325mm)

- 100mm
- 110mm



F12 TOUR EPF large (305-365mm)

- 100mm
- 110mm