

MADSHUS

REDLINE

MADSHUS x K2 SKATES



Madshus, the world-renowned Nordic ski brand, has teamed-up with K2 to bring inline skate athletes the next evolution in lightweight, high-speed marathon skates. The new Redline 110 and Redline 125 feature a brand new anatomical & supportive chassis. The lightweight carbon cuff and base offer support and strength for your stride with an increased range of motion. The microfiber upper is light, firm and snug with pre-molded high ankle support, 4 zones of macro closure and standard lace for infinite customizability. Finally, the Redlines feature K2's new Flash Disc wheels – ultrahigh energy urethane with aerodynamic disc hubs. The Redlines are truly a force to be reckoned with.





















Speed Lacing Stability Plus Cuff F.B.I. Frame

72mm 80A Wheels*

Max Wheel Size 76mm** ABEC 3 Bearings 5 Size Adjustability

US: S 11-2, M 1-5, L 4-8 _EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S
**Max Wheel 72mm on size S

Speed Lacing Stability Plus Cuff F.B.I. Frame 72mm 80A Wheels* Max Wheel Size 76mm** ABEC 3 Bearings 5 Size Adjustability US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S **Max Wheel 72mm on size S

SoftBoot.













The BOA® Fit System Stability Plus Cuff Stamped Aluminum Frame 76mm 80A Wheels Max Wheel Size 76mm





SoftBoot.



The BOA® Fit System Stability Plus Cuff Stamped Aluminum Frame 76mm 80A Wheels Max Wheel Size 76mm ABEC 5 Bearings 5 Size Adjustability

US: M 1-5, L 4-8 EU: M 32-37, L 35-40 UK: M 13-4, L 3-7






SoftBoot











FITNESS

F.I.T. 8 PRO

Speed Lacing Stability Plus Cuff F.B.I. Frame 80mm 80A Wheels Max Wheel Size 80mm ABEC 5 Bearings

US 5-13 EU 36.5-48 UK 4-12



SoftBoot.



ALEXIS 80 PRO

₩ SKATES_16

Speed Lacing Stability Plus Cuff F.B.I. Frame 80mm 80A Wheels Max Wheel Size 80mm ABEC 5 Bearings

EU 36-42.5 UK 3.5-8.5

THE ORIGINAL





























FITNESS







K2 SKATES **X-TRAINING** UNMATCHED PERFORMACE The VO2 S X-Training series receives an overhaul this season that will take your workouts to the next level! With features like the single-sided VO2 S Frames, Hi-Lo Technology, Vortech Ventilation System and BOA® Fit System, these skates are packed with the latest technology. Premium wheels and bearing specs round-out the construction providing a rock-solid foundation for speed and stability. This legendary combination of comfort, performance and style make the VO2 S perfect for achieving your training goals! # VO2 S 100 BOA®



VO2 S 90 MEN'S Speed Lacing
V02 Cuff
V02 S Frame
90mm 83A Wheels
Max Wheel Size 90mm
ILQ 9 Classic Plus Bearings
Flex Notch
Vortech Ventilation System

US 5-14 EU 36.5-49 UK 4-13



SoftBoot.



WOMEN'S

Speed Lacing
V02 Cuff
V02 S Frame
90mm 83A Wheels
Max Wheel Size 90mm
ILQ 9 Classic Plus Bearings
Flex Notch
Vortech Ventilation System

US 6-11 EU 36-42.5 UK 3.5-8.5



SoftBoot.







V02 S 10 MEN'S Speed Lacing
V02 Cuff
V02 S Frame
100mm 83A Wheels
Max Wheel Size 100mm
ILQ 9 Classic Plus Bearings
Flex Notch

US 8-14 EU 40.5-49 UK 7-13



SoftBoot.





WOMEN'S

Speed Lacing
VO2 Cuff
VO2 S Frame
100mm / 90mm 83A Wheels
Max Wheel Size 100mm /90mm
ILQ 9 Classic Plus Bearings
Flex Notch
Vortech Ventilation System

US 6-11 EU 36-42.5 UK 3.5-8.5



SoftBoot.







X - T R A I N I N G



LIFESTYLE

ULTIMATE FUN.

No matter why or how you skate we know it's an important part of your life. Whether it's commuting to work, running errands, meeting up with friends or solo cruising, if there is pavement, we know skates are your preferred method of travel. Our lifestyle skates are designed with this in mind bringing the function, comfort and look you desire. This season sees fresh styling on the Trio LT 100, Uptown and Trio 110 ensuring a contemporary aesthetic certain to be embraced worldwide. Live the life you love.



NEW)

Speed Lacing Stability Plus Cuff Stamped Aluminum Frame 100mm 83A Wheels Max Wheel Size 100mm
ILQ 7 Bearings

US M 5-14 EU 36.5-49 UK 4-13









6 # TRIO S 100

Speed Lacing Stability Plus Cuff Stamped Aluminum Frame 100mm 83A Wheels Max Wheel Size 100mm ILQ 7 Bearings

US W 4-11 EU 34-42.5 UK 1.5-8.5

*90mm 83A Wheels, **Max Wheel size 90mm, on US W size 4-5



SoftBoot



TRIO LT 100 MEN'S

Traditional Lacing Urban Cuff TRIO S 100 Frame 100mm 85A Wheels Max Wheel Size 100mm ILQ 7 Bearing

US M 6-13 EU 38-48 UK 5-12

UFS Compatible

Traditional

SoftBoot.



TRIO

Traditional Lacing Urban Cuff Rockerable Trio 110 Frame 110mm 90A Wheels Max Wheel Size 110mm ILQ 9 Bearing UFS Compatible

US M 6-13 EU 38-48 UK 5-12

*Brake included. Assembly required.

Traditional

SoftBoot







Traditional Lacing Aggressive Cuff Rockerable 243mm Aluminum Frame 80mm 85A Wheels Max Wheel Size 80mm
ILQ 7 Bearings
UFS Compatible

US M 5-14 EU 36.5-49 UK 4-13

SoftBoot




LIFESTYLE













REDLINE Carbon Base

Ventilated Microfiber Upper

Extruded 6061 Frame

125mm 88A Wheels

Max Wheel 125mm

ILQ 9 Pro Bearings

EU 38-48 UK 5-12



₩ SKATES_32





HELMETS & PADS

BE SCRAPE FREE.

There are no fears with K2 Helmets and Pad Sets. Our helmets are designed for both kids and adults and are equipped with a microadjustable fit, hardshell protection, and additional bicycle safety certification. Our pad sets offer a full range of benefits including comfort, mositer wicking, and reflective badges to fit your needs.





VARSITY

Durable ABS Shell EPS Liner Fit Pads Ratchet Fit System EN 1078:2012+A1

Matte Black Blue Camo Matte White Purple Camo

S 48-54 cm M 55-58cm L 59-61cm





VARSITY PRO

Durable ABS Shell Lightweight EPS Liner Sealed Fit Pads Low Profile Micro Fit System Reflective Strap

EN 1078:2012+A1



Matte Black Matte Purple Matte White Matte Red

S 48-54 cm M 55-58cm L 59-61cm









ACCESSORIES

From frames, wheels and bearings to carriers, we've got the tools you need to enhance your skating

INLINE STUFF

experience.

REDLINE RACE GUARD SET

PADS

K2 YOUTH PAD SET

Durable plastic caps to shield against impact and abrasion, breathable mesh fabrics and elastic straps for the perfect fit.







RAIDER PRO PAD SET

fastener for comfort.

Sizing XS / S





MARLEE PRO



PAD SET Sizing XS / S





MEN'S *Also available K2 Prime Men's Wrist Guards

SM, M, L, XL



Durable plastic caps to shield against impact and abrasion. Breathable and abrasion resistant mesh panels. Front side





WOMEN'S

K2 Prime Women's Wrist Guards SM, M, L, XL



Durable plastic caps to shield against impact and abrasion. Breathable and abrasion resistant mesh panels. Coolmax moisture wicking lining. Reflective badges.







MEN'S *Also available K2 Performance Men's Wrist Guards Sizing SM, M, L, XL

Durable and sleek design offering protection from road rash.



Created for performance minded skaters with a slim and

*Also available Unisex. Sold as a set and individually. Wrist Guards, Knee Guards and Gloves. Sizing S, M, L



*Also available



WOMEN'S *Also available K2 Performance Women's

Wrist Guards

SM, M, L, XL



R100 CNC ALUMINUM FRAME

즠



*Includes 6mm frame spacers, bearing spacers, and axles, (6mm frame spacers for rocker

Max wheel size 100mm

K2 BACKPACK

FRAMES

Max wheel size 100mm

Rockerable 2nd Wheel

6061 Series Aluminum

S 250mm US M size 6-7.5

M 270mm US M size 8-10.5

L 285mm US M size 11-13

bearing spacers, and axles.

*Includes 6mm frame spacers,

UFS Mounting

TRIO 100 FRAME KIT



FRAME

즠

Max wheel size 110mm

Max wheel size

UFS Mounting
Rockerable 2nd
6061 Series Alu

S 255mm US M size Rockerable 2nd Wheel 6061 Series Aluminum

S 255mm US M size 6-7.5 M 270mm US M size 8-10.5 L 285mm US M size 11-13

*Includes 6mm frame spacers, bearing spacers, and axles.





Max wheel size 100mm
UFS Mounting
6061 Series Aluminum

100

즠

S 250mm US M size 6-7.5 M 270mm US M size 8-10.5 L 285mm US M size 11-13

*Wheels not included.



UFS Mounting Rockerable 243mm Wheelbase 6061 Series Aluminum

*Includes 6mm frame spacers, bearing spacers, and axles, (6mm frame spacers for rocker



Wide sole plate for boot based tricks. Compatible with the Uptown. Available in black.

AGGRESSIVE SOLE PLATES **UFS Mounting**

SIZE A US size 6-7 SIZE B US size 7.5-8 SIZE C US size 8.5-9 SIZE D US size 9.5-10 SIZE E US size 10.5-11 SIZE F US size 11.5-12 SIZE G US size 12.5-13 SIZE H US size 14

*Includes UFS screws and t-nuts (counterpart)

ACCESSORIES

WHEELS

current ride a long lasting boost. Sizing options range from 72mm to 84mm and are available in both 4 and 8 packs with bearings and aluminum spacers installed. All wheel packs come in a cool re-usable storage bag.



WHEEL BAG 4-PACK



WHEEL BAG 8-PACK



BOOSTER NEW 72MM/80A 4-PACK or 8 PACK *Includes ILQ- 5 bearings and ALU spacers.



*Includes ILQ- 5 bearings and ALU spacers.

BOOSTER NEW 76MM/80A 4-PACK or 8 PACK

NEW 80MM/82A 4-PACK or 8-PACK *Includes ILQ - 7 bearings and ALU spacers.

BOOSTER



BOOSTER NEW 84MM/82A 4-PACK or 8-PACK

*Includes ILQ- 7 bearings and ALU spacers.

The Bolt Speed wheels with an all new higher performance formula, constructed from a high-speed urethane with a race profile for a light and fast roll.

This formula features both high rehound with a race profile for a light and fast roll.
This formula features both high rebound and durability and is the performance choice for X-Trainer. their 90mm and 100mm skates. The 90mm are available in 4 and 8 packs with ILQ 9 bearings and aluminum bearing spacers. 100s available in 4 packs. Both packs come in cool multipurpose NEW storage bags.





90MM/85A 4-PACK or 8-PACK



BOLT SPEED NEW 100MM/85A 4-PACK



BOLT URBAN

NEW 80MM/XTRA FIRM

4-PACK







BOLT URBAN NEW 100MM/XTRA FIRM 2-PACK

BOLT URBAN NEW 110MM/XTRA FIRM 2-PACK

FLASH WHEE S

The best wheels we've ever produced! The Flash Discs boast all-new higher performance formula, aerodynamic disc hubs and our latest and best urethane with a race profile. The disc hubs provide support to unlock the speed and reduce drag. Flash Disc wheels are sold individually in their own multi-purpose storage bags. See them, feel them, hear them!



FLASH DISC 110MM/XTRA FIRM SINGLE PACK



FLASH DISC 125MM/XTRA FIRM SINGLE PACK

BEARINGS



Grease Lubricant Steel Retainers Double-Sided Metal Shield បា Pack Of 16



Grease Lubricant Steel Retainers **→** Double-Sided Metal Shield Pack Of 16



ΕQ TK Gel 6-Ball Design Nylon Retainers One-Sided Metal Shield 9 Pack Of 16



TK Gel 6-Ball Design
Nylon Retainers • Rubber Shield Pack Of 16

BAGS

3 External Zippered Pockets, Ventilation Panels
Sized to carry skates, helmet, and pads.



F.I.T.

ALLIANCE



SKATE



K2 BACKPACK

The new K2 Backpack is an all purpose backpack ready to take on anything that comes it's way. Features include padded back panel, exterior zip up storage pocket, padded laptop sleeve, padded backpack straps, adjustable chest strap, bicycle light clip, multifunctional organization pocket, zippable size pocket, easy access water bottle pocket, and exterior bungee stowage that is great for sneakers or helmet.

VOLUME - 30L





TOOLS

RUBBER BRAKE STOPPER



Available in Black markings or Gray non-markings.

K2 ULTRA LIGHT S BEARING GEL SKATE



Protect, clean and lubricate.



This multi-tool helps you adjust your bearings and axles. It's longer length makes it easy to access the frame mount bolts through the wheels.

K 2 S K A T E S

SIZING CHART

MEN'S SKATE SIZING

SKATE SIZE/ US SHOE SIZE	UK SHOE SIZE	EU SHOE SIZE	FOOT LENGTH (in)	FOOT LENGTH (cm)
5	4	36.5	9.06	23
6	5	38	9.45	24
6.5	5.5	39	9.65	24.5
7	6	39.5	9.84	25
7.5	6.5	40	10.04	25.5
8	7	40.5	10.24	26
8.5	7.5	41.5	10.43	26.5
9	8	42	10.63	27
9.5	8.5	42.5	10.83	27.5
10	9	43.5	11.02	28
10.5	9.5	44	11.22	28.5
11	10	44.5	11.42	29
11.5	10.5	45	11.61	29.5
12	11	46	11.81	30
12.5	11.5	47	12.01	30.5
13	12	48	12.20	31
14	13	49	12.60	32

WOMEN'S INLINE SKATE SIZING

SKATE SIZE/ US SHOE SIZE	UK SHOE SIZE	EU SHOE SIZE	FOOT LENGTH (in)	FOOT LENGTH (cm)
4	1.5	34	8.27	21
5	2	35	8.66	22
6	3.5	36	9.06	23
6.5	4	36.5	9.25	23.5
7	4.5	37	9.45	24
7.5	5	38	9.65	24.5
8	5.5	39	9.84	25
8.5	6	39.5	10.04	25.5
9	6.5	40	10.24	26
9.5	7	40.5	10.43	26.5
10	7.5	41.5	10.63	27
10.5	8	42	10.83	27.5
11	8.5	42.5	11.02	28

KID'S INLINE SKATE SIZING

SKATE SIZE	US SHOE SIZE	UK SHOE SIZE	EU SHOE SIZE	FOOT LENGTH (in)	FOOT LENGTH (cm)
S	11 - 2	10 - 1	29 - 34	6.69 - 8.07	17 - 20.5
М	1 - 5	13 - 4	32 - 37	7.68 - 9.06	19.5 - 23
L	4 - 8	3 - 7	35 - 40	8.66 - 10.04	22 - 25.5

HELMET SIZING

SIZE	S	М	L
Head Circumference * (in)	18.8 - 21.2	21.6 - 22.8	23.2 - 24
Head Circumference* (cm)	48 - 54	55 - 58	59 - 61

K2 SKATE TECHNOLOGY

Traditional Lacing

Customize your tie your shoes. Customize your lacing and knot the same way you

Speed Lacing System
Secure your skates with one pull. The K2 Speed
Lacing System makes it easy to get in and out of your skates. Just one pull of the lace, roll, and stow and you're ready to skate – that easy.

The BOA® Fit System
Dial in to a fast, effortless, precision fit.

Agility and Speed

The BOA® Fit System enables raster, more point.

directional changes through a seamless connection The BOA® Fit System enables faster, more powerful **Q** between equipment and body.

Power and Precision

Power without compromising precision, the BOA® Fit System delivers more explosive action and unparalleled accuracy.

Endurance and Health

Go further, faster and stronger. The ${\tt BOA}{\tt @}$ Fit System saves energy by improving circulation and $% \left(\mathbf{r}_{\mathbf{r}}\right) =\mathbf{r}_{\mathbf{r}}$ efficiency.

Durability and Quality

3 Cuff

5 Base

8 Frame 9 Wheels 10 Axle

11 Hubs

Engineered with high quality, durable materials, and rigorously field tested, the BOA® Fit System is guaranteed to perform in any environment.

C Stability Plus Cuff

The perfect blend of support, flexibility and comfort for a wide range of skater.

A lightweight supportive cuff for bigger wheels and higher speeds.

Aggressive Cuff

Beefy support for big tricks.

MOD 110 Dual Density Cuff

Anatomical low profile cuff with 2 materials providing both stiffness and flexibility.

REDLINE Removable Carbon Cuff

Anatomically designed with carbon for lightweight low profile support with the option to skate cuff-

F.B.I. Frame

 $\overline{m{z}}$ Composite recreational frame that establishes a low AME center of gravity and absorbs road vibration

Stamped Aluminum Frame

Responsive, stiff and durable stamped aluminum for acceleration and speed

D.C Aluminum Frame

Responsive and stiff die cast aluminum for acceleration, speed and control.

Single Sided extruded & machined 6061 aluminum frames for bigger wheel XT skates - Responsive, Fast and Vibration absorbing

TRIO Frame

Extruded & Machined 6061 aluminum; UFS 2 bolt for 3x100 wheels & rockered set up options

TRIO S Frame

Extruded & Machined 6061 aluminum; Single Sided UFS 2 bolt frame for 3 x 100 wheels.

Extruded & Machined 6061 aluminum; UFS 2 bolt frame for 4x100 or 4X80 wheels and rockered set up options.

MOD 110 Frame

Extruded & Machined 6061 aluminum; 2 bolt mount (180mm or 195mm mounting), for 4x110 wheels.

REDLINE 110/125 Frame

Stiff and responsive, machined 6061 aluminum; 2 bolt mount (180mm or 195mm mounting).

ANATOMY OF A SKATE





RAIDER PRO MARLEE PRO

Speed Lacing, Stability Plus Cuff, F.B.I. Frame, 72mm 80A Wheels*, Max Wheel Size 76mm**, ABEC 3 Bearings, 5 Size Adjustability

US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S **Max Wheel 72mm on size S



MARLEE BOA®

The Boa® Fit System, Stability Plus Cuff, F.B.I. Frame, 72mm 80A Wheels*, Max Wheel Size 76mm**, ABEC 3 Bearings 5 Size Adjustability

US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S **Max wheel size 72mm on size S





RAIDER SPI ASH MARLEE SPLASH

Speed Lacing, Stability Plus Cuff, F.B.I. Frame, 72mm 80A Wheels*, Max Wheel Size 76mm**, ABEC 3 Bearings, 5 Size Adjustability, Includes 5 permanent fabric coloring markers

IIS: S 11-2 M 1-5 I 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S **Max Wheel 72mm on size S





SK8 HERO BOA® ALU CHARM BOA® ALU

The BOA® Fit System, Stability Plus Cuff, Stamped Aluminum Frame, 76mm 80A Wheels, Max Wheel Size 76mm, ABEC 5 Bearings, 5 Size Adjustability

IJS: M 1-5, L 4-8 EU: M 32-37, L 35-40 UK: M 13-4, L 3-7

X-TRAINING

LIFESTYLE



V02 S 90 MEN'S VO2 S 90 WOMEN'S

Speed Lacing, VO2 Cuff, VO2 S Frame, 90mm 83A Wheels, Max Wheel Size 90mm, ILQ 9 Classic Plus Bearings, Flex Notch, Vortech Ventilation System

US 5-14 EU 36.5-49 UK 4-13 US 6-11 EU 36-42.5 UK 3.5-8.5



V02 S 100 MEN'S

Speed Lacing, V02 Cuff, 100mm 83A Wheels, Max Wheel Size 100mm ILQ 9 Classic Plus Bearings, Vortech Ventilation System, Flex Notch

US 8-14 EU 40.5-49 UK 7-13



VO2 S 100 WOMEN'S

Speed Lacing, V02 Cuff, V02 S Frame, 100mm / 90mm 83A Wheels, Max Wheel Size 100mm /90mm, ILQ 9 Classic Plus Bearings, Flex Notch, Vortech Ventilation System

WOMEN'S



VO2 S 100 BOA°

The BOA® Fit System, VO2 Cuff, 100mm 83A Wheels, Max Wheel Size 100mm ILQ 9 Classic Plus Bearings, Flex Notch Vortech Ventilation System

US 8-14, EU 40.5-49 UK 7-13

FITNESS



F.I.T. 80 PRO **ALEXIS 80 PRO**

Traditional Lacing, Stability Plus Cuff F.B.I. Frame, 80mm 80A Wheels, Max Wheel Size 80mm, ABEC 5 Bearings

MEN'S US 5-14 EU 36.5-49

WOMEN'S US 6-11 EU 36-42.5 UK 3.5-8.5



F.I.T. 80 BOA° ALEXIS 80 BOA®

The Boa® Fit System, Stability Plus Cuff F.B.I. Frame, 80mm 80A Wheels Max Wheel Size 80mm, ABEC 5 Bearings

MEN'S US 5-14 FII 36.5-49 UK 4-13

WOMEN'S US 6-11 EU 36-42.5 UK 3.5-8.5



F.I.T. 80 ALU **ALEXIS 80 ALU**

Speed Lacing, Stability Plus Cuff Stamped Aluminum Frame, 80mm 80A Wheels, Max Wheel Size 80mm ABEC 5 Bearings

MEN'S US 5-14 EU 36.5-49 UK 4-13

WOMEN'S US 4-11 EU 34-42.5 UK 1.5-8.5



TRIO LT 100 MEN'S TRIO LT 100 WOMEN'S

Speed Lacing, Stability Plus Cuff Stamped Aluminum Frame, 100mm 83A Wheels, Max Wheel Size 100mm ILQ 7 Bearings

US 5-14 EU 36.5-49

US 4-11 EU 34-42.5 UK 1.5-8.5 UK 4-13 *90mm 83A Wheels, on US W size 4-5

**Max Wheel size 90mm, on US W size 4-5

TRIO S 100

Traditional Lacing, Urban Cuff, TRIO S 100 Frame, 100mm 85A Wheels, Max Wheel Size 100mm, ILQ 7 Bearing, UFS

MEN'S US M 6-13 EU 38-48 UK 5-12



TRIO 110

Traditional Lacing, Urban Cuff Rockerable Trio 110 Frame, 110mm 90A Wheels, Max Wheel Size 110mm ILQ 9 Bearing, UFS Compatible

EU 38-48 UK 5-12

*Brake included. Assembly required.



UPTOWN

Traditional Lacing, Aggressive Cuff Rockerable 243mm Aluminum Frame 80mm 85A Wheels, Max Wheel Size 80mm, ILQ 7 Bearings, UFS Compatible

EU 36.5-49 UK 4-13

*Brake included. Assembly required.



F.I.T. 84 PRO **ALEXIS 84 PRO**

Speed Lacing, Stability Plus Cuff Stamped Aluminum Frame, 84mm 80A Wheels, Max Wheel Size 84mm ILQ 5 Bearings

MEN'S WOMEN'S US 5-14 EU 36.5-49 UK 4-13 US 4-11 EU 34-42.5 UK 1.5-8.5



F.I.T. 84 BOA® ALEXIS 84 BOA®

The BOA® Fit System, Stability Plus Cuff Stamped Aluminum Frame, 84mm 80A Wheels, Max Wheel Size 84mm ILQ 7 Bearings, Flex Notch

MEN'S WOMEN'S US 5-14 EU 36.5-49 UK 4-13 US 4-11 EU 34-42.5 UK 1.5-8.5



F.I.T. 90 Boa* ALEXIS 90 Boa®

The BOA® Fit System, Stability Plus Cuff D.C. Aluminum Frame, 90mm 83A Wheels, Max Wheel Size 90mm ILQ 7 Bearings, Flex Notch

MEN'S WOMEN'S US 5-14 EU 36.5-49 UK 4-13 US 6-11 EU 36-42.5 UK 3.5-8.5





MOD 110

Speed Lacing, MOD 110 Dual Density Cuff, MOD 110 Extruded 6061 Frame 110mm 85A Wheels, Max Wheel 110mm ILQ 9 PRO Bearings, Custom Fit Foam Ventilated Microfiber Upper

US M 6-13 EU 38-48 UK 5-12



REDLINE 110

Traditional Lacing, Removable REDLINE Carbon Cuff, REDLINE Carbon Base, Extruded 6061 Frame, 110mm 85A Wheels , Max Wheel 110mm ILQ 9 Pro Bearings, Ventilated Microfiber Upper

EU 38-48 UK 5-12



REDLINE 125

Traditional Lacing, Removable REDLINE Carbon Cuff, REDLINE Carbon Base, Extruded 6061 Frame, 125mm 88A Wheels, Max Wheel 125mm, ILQ 9 Pro Bearings, Ventilated Microfiber Upper

EU 38-48 UK 5-12

₩ SKATES 43





K2 SPORTS 413 Pine Street 3rd Floor Seattle, WA 98101 USA info@k2sports.com

K2 Sports Europe GmbH Seeshaupter Str. 62 82377 Penzberg Germany info@k2sports.de

K2 Canada 1 Westside Drive, Unit 7 Toronto, Ontario M9C 1B2 Canada info@k2skates.ca

K2 Japan 6F, TMM BLDG, 1-10-5 Iwamoto-Cho, Chiyoda-Ku Tokyo, Japan 101-0032